

CERTIFICATE OF COMPLIANCE

Certificate Number E499492
Report Reference E499492-20200626
Issue Date 2020-JUNE-26

Issued to: XICATO INC
101 DAGGETT DR
SAN JOSE, CA 95134-2110 USA

This certificate confirms that representative samples of LOW-VOLTAGE LIGHTING SYSTEMS, POWER UNITS, LUMINAIRES AND FITTINGS
See Addendum

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 2108 - Low Voltage Lighting Systems
UL 8750 - Light Emitting Diode (LED) Equipment for Use in Lighting Products
CSA C22.2 No. 250.0-08 - Luminaires

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number E499492
Report Reference E499492-20200626
Issue Date 2020-JUNE-26

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Low Voltage LED Tape Light, surface mounted	XFL-SW-24-22-X	Where X can be any alphanumeric characters represents LED color
Low Voltage LED Tape Light, surface mounted	XFL-SW-24aa-bb22-Xcc-dd	Where aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length
Low Voltage LED Tape Light, surface mounted	XFL-SW-24-67-X	Where X can be any alphanumeric characters represents LED color
Low Voltage LED Tape Light, surface mounted	XFL-SW-24aa-bb67-Xcc-dd	Where aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length
Low Voltage LED Tape Light, surface mounted	XFL-SE-24-22-X	Where X can be any alphanumeric characters represents LED color
Low Voltage LED Tape Light, surface mounted	XFL-SE-24aa-bb22-Xcc-dd	Where aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length
Low Voltage LED Surface-Mounted Light	XFL-FS-24-22-X	Where X can be any alphanumeric characters represents LED color
Low Voltage LED Surface-Mounted Light	XFL-FS-24aa-bb22-Xcc-dd	Where aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length
Low Voltage LED Surface-Mounted Light	XFL-FS-24-67-X	Where X can be any alphanumeric characters represents LED color
Low Voltage LED Surface-Mounted Light	XFL-FS-24aa-bb67-Xcc-dd	Where aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length
Low Voltage LED Surface-Mounted Light	XFL-VW-24-22-X	Where X can be any alphanumeric characters represents LED color
Low Voltage LED Surface-Mounted Light	XFL-TW-24aa-bb22-Xcc-dd	Where TW denotes Tunable White, a subset of the Variable White family, DW denotes Dim to Warm, a subset of the Variable White family, aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length
Low Voltage LED Surface-Mounted Light	XFL-DW-24aa-bb22-Xcc-dd	Where TW denotes Tunable White, a subset of the Variable White family, DW denotes Dim to Warm, a subset of the Variable White family, aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length
Low Voltage LED Surface-Mounted Light	XFL-SE-24-67-X	Where X can be any alphanumeric characters represents LED color
Low Voltage LED Surface-Mounted Light	XFL-SE-24aa-bb67-Xcc-dd	Where aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E499492
Report Reference E499492-20200626
Issue Date 2020-JUNE-26

Low Voltage LED Surface-Mounted Light	XFL-UD-24-22-X	Where "X" can be any alphanumeric characters
Low Voltage LED Surface-Mounted Light	XFL-US-24aa-bb22-Xcc-dd	Where US denotes Ultra Slim, a subset of the Ultra Dense family, HD denotes High Density, a subset of the Ultra Dense family, aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length.
Low Voltage LED Surface-Mounted Light	XFL-HD-24aa-bb22-Xcc-dd	Where US denotes Ultra Slim, a subset of the Ultra Dense family, HD denotes High Density, a subset of the Ultra Dense family, aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length.
Low Voltage LED Surface-Mounted Light	XFL-UD-24-67-X	Where "X" can be any alphanumeric characters
Low Voltage LED Surface-Mounted Light	XFL-US-24aa-bb67-Xcc-dd	Where US denotes Ultra Slim, a subset of the Ultra Dense family, HD denotes High Density, a subset of the Ultra Dense family, aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length
Low Voltage LED Surface-Mounted Light	XFL-HD-24aa-bb67-Xcc-dd	Where US denotes Ultra Slim, a subset of the Ultra Dense family, HD denotes High Density, a subset of the Ultra Dense family, aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length
Low Voltage LED Surface-Mounted Light	XFL-VW-24-67-X	Where "X" can be any alphanumeric characters
Low Voltage LED Surface-Mounted Light	XFL-TW-24aa-bb67-Xcc-dd	Where TW denotes Tunable White, a subset of the Variable White family, DW denotes Dim to Warm, a subset of the Variable White family, aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length
Low Voltage LED Surface-Mounted Light	XFL-DW-24aa-bb67-Xcc-dd	Where TW denotes Tunable White, a subset of the Variable White family, DW denotes Dim to Warm, a subset of the Variable White family, aa denotes Power, bb denotes LED Count, cc denotes CRI, dd denotes Length



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

