



Colorimetric Parameters

Chromaticity Coordinate: $x=0.3774$ $y=0.3740$ / $u'=0.2242$ $v'=0.4999$
 CCT=4062K (Duv=-0.0004) Dominant WL:Ld =579.1nm Purity=25.5%
 Peak WL:Lp=633.2nm FWHM=208.3nm
 Render Index:Ra=96.8 Render Index:AvgR =96.6
 R1 =98 R2 =99 R3 =95 R4 =94 R5 =98 R6 =99 R7 =96
 R8 =96 R9 =97 R10=97 R11=93 R12=96 R13=99 R14=96 R15=98

Photometric & Radiometric Parameters

Flux=443.3 lm Eff.:69.60 lm/W Fe=1.675 W

Electrical parameters

V=24.00 V I=0.2654 A P=6.369 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:ANSI_4000K

Status: Integral T = 32 ms Ip = 48471 (74%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-SE-2406-12022-4095-SP005 Number:23
 Test By:** Date:2020-06-12 17:38:21
 Temperature:23Deg Humidity:55%
 Manufacturer: Remarks:
 Assessor:damin DevideSN:

TM30

