



Colorimetric Parameters

Chromaticity Coordinate: $x=0.3238$ $y=0.3332$ / $u'=0.2039$ $v'=0.4722$
 CCT=5913K (Duv=-0.0001) Dominant WL:Ld =491.5nm Purity=3.2%
 Peak WL:Lp=446.8nm FWHM=262.6nm
 Render Index:Ra=95.3 Render Index:AvgR =95.3
 R1 =99 R2 =97 R3 =93 R4 =92 R5 =97 R6 =97 R7 =94
 R8 =94 R9 =98 R10=92 R11=92 R12=94 R13=99 R14=95 R15=97

Photometric & Radiometric Parameters

Flux=418.9 lm Eff.:71.33 lm/W Fe=1.628 W

Electrical parameters

V=24.00 V I=0.2447 A P=5.872 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:ANSI_5700K

Status: Integral T = 41 ms Ip = 50029 (76%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-SE-2406-12022-5795-SP005 Number:22
 Test By:** Date:2020-06-12 17:36:21
 Temperature:23Deg Humidity:55%
 Manufacturer: Remarks:
 Assessor:damin ~~Device:~~

TM30

