



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4781$ $y=0.4132$ / $u'=0.2731$ $v'=0.5311$
 CCT=2484K (Duv=-0.0002) Dominant WL:Ld =585.5nm Purity=67.5%
 Peak WL:Lp=647.8nm FWHM=145.0nm
 Render Index:Ra=97.1 Render Index:AvgR =96.9
 R1 =99 R2 =99 R3 =95 R4 =94 R5 =98 R6 =99 R7 =97
 R8 =98 R9 =97 R10=97 R11=90 R12=96 R13=99 R14=96 R15=99

Photometric & Radiometric Parameters

Flux=302.3 lm Eff.:66.26 lm/W Fe=1.329 W

Electrical parameters

V=24.00 V I=0.1901 A P=4.562 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:OUT

Status: Integral T = 31 ms Ip = 46897 (72%)
 Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-HD-2404-70022-2595-SP005 Number:2
 Test By:*** Date:2020-06-23 10:43:02
 Temperature:23Deg Humidity:55%
 Manufacturer:
 Assessor:damin DeviceSN:

TM30

