



Colorimetric Parameters

Chromaticity Coordinate: $x=0.4056$ $y=0.3914$ $u'=0.2356$ $v'=0.5116$
 CCT=3500K (Duv=0.0002) Dominant WL:Ld =580.8nm Purity=39.2%
 Peak WL:Lp=643.4nm FWHM=214.4nm
 Render Index:Ra=97.8 Render Index:AvgR =97.2
 R1 =99 R2 =99 R3 =97 R4 =95 R5 =99 R6 =98 R7 =98
 R8 =98 R9 =99 R10=99 R11=92 R12=89 R13=99 R14=98 R15=100

Photometric & Radiometric Parameters

Flux=348.1 lm Eff.:79.79 lm/W Fe=1.370 W

Electrical parameters

V=24.00 V I=0.1818 A P=4.363 W PF=1.000 F=0.00 Hz

LEVEL:OUT WHITE:ANSI_3500K

Status: Integral T = 39 ms Ip = 49374 (75%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:XFL-HD-2404-70022-3595-SP005 Number:4
 Test By:*** Date:2020-06-23 10:46:30
 Temperature:23Deg Humidity:55%
 Manufacturer:
 Assessor:damin ~~DeviceSN:~~

TM30

